

Кыргызстандын саламаттык сактоо
илимий-практикалык журналы
2023, № 3, б. 71-81

Здравоохранение Кыргызстана
научно-практический журнал
2023, № 3, с. 71-81

Health care of Kyrgyzstan
scientific and practical journal
2023, No 3, pp. 71-81

УДК: 616.36-002.1

Е гепатитинин серологиялык диагностикасы үчүн тест-системаларын түзүү жана алардын диагностикалык эффективдүүлүгүн эндемикалык жана эндемикалык эмес региондордон алынган клиникалык материалдар боюнча тесирлөө

Г.И. Алаторцева¹, Л.Н. Нестеренко¹, Л.Н. Притворова¹, А.В. Сидоров¹, В.В. Доценко¹, Ю.И. Амму¹, Д.С. Воробьев¹, А.В. Милованова¹, Л.С. Зимарин¹, В.В. Зверев¹, О.А. Свитич¹, М.И. Михайлов^{1,2}, К. К. Кюрегян^{1,2}, С.В. Жаворонок³, В.В. Давыдов³, И.С. Задора³, В.В. Смирский⁵, Л.А. Анисько^{3,4}, С.И. Марчук³, П.А. Красочко⁶, Д.С. Борисовец⁷, А.С. Бабенко³, З.Ш. Нурматов⁸, О.Т.Касымов⁸, З.О. Абдрахманова⁸

¹ И.И. Мечников атындагы вакциналар жана сывороткалардын илимий-изилдөө институту федералдык мамлекеттик бюджеттик илимий мекемеси, Москва шаары, Россия Федерациясы

² Керектөөчүлөрдүн укуктарын коргоо жана адамдын жыргалчылыгы чөйрөсүндө көзөмөлдөө боюнча федералдык кызматтын «Борбордук эпидемиологиялык изилдөө институту» федералдык бюджеттик илим мекемеси, Москва шаары, Россия Федерациясы

³ "Беларусь мамлекеттик медициналык университети" билим берүү мекемеси, Минск шаары, Беларусь Республикасы

⁴ Саламаттыкты сактоо мекемеси "Минск шаардык клиникалык инфекциялык ооруканасы", Минск шаары, Беларусь Республикасы

⁵ «Белоруссиянын Улуттук илимдер академиясынын биоорганикалык химия институту» мамлекеттик илимий мекемеси, Минск шаары, Беларусь Республикасы

⁶ ЕЕ «Ардак Белгиси Витебск ордени» Мамлекеттик ветеринардык академиясы»

⁷ С.Н. Вышелесского атындагы эксперименталдык ветеринария институту» Республикалык унитардык ишканасы, Витебск шаары, Беларусь Республикасы

⁸ Коомдук саламаттык сактоо улуттук институту, Бишкек шаары, Кыргыз Республикасы

МАКАЛА ЖӨНҮНДӨ МААЛЫМАТ КОРУТУНДУ

Негизги сөздөр:

Гепатит Е

КМШга мүчө-мамлекеттердин 2020-жылга чейинки мезгилге Инновациялык кызматташтыктын мамлекеттер аралык программасынын Е

Адрес для переписки:

Алаторцева Галина Ивановна, 105064,
Российская Федерация, Москва, Малый Казенный переулок, д. 5А,
Федеральное государственное бюджетное научное учреждение
«Научно-исследовательский институт вакцин и сывороток им. И.И.
Мечникова»
Тел.: 8(916)230-78-70
E-mail: alatortsebva@gmail.com

Contacts:

Alatortseva Galina Ivanovna, 105064,
Russian Federation, Moscow, Maly Kazenny Lane, 5A,
Federal State Budgetary Scientific Institution "Research Institute of Vaccines and Serums named after I.I. Mechnikov"
Phone: 8(916)230-78-70
E-mail: alatortsebva@gmail.com

Для цитирования:

Алаторцева Г.И., Нестеренко Л.Н., Притворова Л.Н., Сидоров А.В., Доценко В.В., Амму Ю.И., Воробьев Д.С., Милованова А.В., Зимарин Л.С., Зверев В.В., Свитич О.А., Михайлов М.И., Кюрегян К. К., Жаворонок С.В., Давыдов В.В., Задора И.С., Смирский В.В., Анисько Л.А., Марчук С.И., Красочко П.А., Борисовец Д.С., Бабенко А.С., Нурматов З.Ш., Касымов О.Т., Абдрахманова З.О. Создание тест-систем для серологической диагностики гепатита Е и испытание их диагностической эффективности на клиническом материале из эндемичных и неэндемичных регионов. Здравоохранение Кыргызстана 2023, № 3, с. 71-81.
doi.10.51350/zdravkg2023.3.9.9.71.81

Citation:

Alatortseva G.I., Nesterenko L.N., Pritvorova L.N., Sidorov A.V., Dotsenko V.V., Ammu Yu.I., Vorobyov D.S., Milovanova A.V., Zimarin L.S., Zverev V.V., Svitich O.A., Mikhailov M.I., Kyuregyan K.K., Zhavoronok S.V., Davydov V.V., Zadora I.S., Simirsky V.V., Anisko L.A., Marchuk S.I., Krasochko P.A., Borisovets D.S., Babenko A.S., Nurmatov Z.Sh., Kasymov O.T., Abdrakhmanova Z.O. Test kit development for serological diagnostics of hepatitis E and checking of their diagnostic effectiveness on clinical material from endemic and non-endemic regions. Health care of Kyrgyzstan 2023, No.3, pp.71-81. doi.10.51350/zdravkg2023.3.9.9.71.81

Гепатит Е вирусу генотип 1
 Гепатит Е вирус генотипы 3
 Рекомбинанттык антиген
 ORF2
 ORF3
 Ферментке байланышкан иммуносор-
 бенттик анализ
 Сызыктуу иммуно анализ
 Иммунохроматография
 Сероэпидемиология

гепатитин серодиагностикалоо үчүн тесттик системаларды түзүү боюнча инновациялык пилоттук долбоорду ишке ашыруунун жыйынтыктары сунушталды. Долбоор И.И. Мечников атындагы Федералдык мамлекеттик бюджеттик мекемеси жана Кыргыз Республикасынын Саламаттык сактоо Министрлигинин коомдук саламаттыкты сактоо улуттук институту, Беларусь Республикасынын медициналык жана ветеринария илим-изилдөө профиліндеги илимий-изилдөө мекемелери менен ишке ашырылып жатат.

Изилдөөнүн жыйынтыгында КМШ өлкөлөрүндө басымдуулук кылган 1 жана 3 ВГЕ генотиптеринин, ВГЕге IgG антителилорун санын, ВГЕге IgG антителилорунун активдүүлүгүн, ВГЕге суммардык антителилорун, ВГЕге IgM антителилорун, ВГЕнин антигенине детекциясын аныкташ үчүн рекомбинанттуу антигендери иштелип чыккан жана ошондой эле сызыктуу иммундук анализди колдонуу менен ВГЕге антителилорду аныктоо үчүн ырастоочу тест системасы, ВГЕге антителилорду аныктоо үчүн иммунохроматографиялык экспресс-тест жана ПТРдин жардамы менен кан сары суусунда жана кан плазмасында ВГЕге РНКсын аныктоо үчүн жогорку тактыктагы тест системасы иштелип чыкты.

Россия, Кыргызстан жана Беларусия өлкөлөрүндө жүргүзүлгөн серо-эпидемиологиялык жана молекулярдык эпидемиологиялык изилдөөлөрдүн натыйжалары үч өлкөдө тең курч гепатит менен ооругандардын структурасында тастыктоодон жана каттоодон качкан гепатиттин үлүшүнүн ырааттуу көбөйгөнүн көрсөттү.

Создание тест-систем для серологической диагностики гепатита Е и испытание их диагностической эффективности на клиническом материале из эндемичных и неэндемичных регионов

Г.И. Алаторцева¹, Л.Н. Нестеренко¹, Л.Н. Притворова¹, А.В. Сидоров¹, В.В. Доценко¹, Ю.И. Аммур¹, Д.С. Воробьев¹, А.В. Милованова¹, Л.С. Зимарин¹, В.В. Зверев¹, О.А. Свитич¹, М.И. Михайлов^{1,2}, К. К. Кюрегян^{1,2}, С.В. Жаворонок³, В.В. Давыдов³, И.С. Задора³, В.В. Симирийский⁵, Л.А. Анисько^{3,4}, С.И. Марчук³, П.А. Красочко⁶, Д.С. Борисовец⁷, А.С. Бабенко³, З.Ш. Нурматов⁸, О.Т.Касымов⁸, З.О. Абдрахманова⁸

¹ Федеральное государственное бюджетное научное учреждение «Научно-исследовательский институт вакцин и сывороток им. И.И. Мечникова», Москва, Российская Федерация

² Федеральное бюджетное учреждение науки «Центральный научно-исследовательский институт эпидемиологии» Федеральной службы по надзору в сфере защиты прав потребителей и благополучия человека, Москва, Российская Федерация

³ Учреждение образования «Белорусский государственный медицинский университет», Минск, Республика Беларусь

⁴ УЗ «Минская городская клиническая инфекционная больница», Минск, Республика Беларусь

⁵ Государственное научное учреждение «Институт биоорганической химии Национальной академии наук Беларуси», Минск, Республика Беларусь

⁶ УО «Витебская ордена «Знак Почета» государственная академия ветеринарной медицины», Витебск, Республика Беларусь

⁷ РУП «Институт экспериментальной ветеринарии им. С.Н. Вышесесского», Минск, Республика Беларусь

⁸ Национальный институт общественного здоровья, Бишкек, Кыргызская Республика

ИНФОРМАЦИЯ О СТАТЬЕ

РЕЗЮМЕ

Ключевые слова:

Гепатит Е
 Вирус гепатита Е 1 генотипа
 Вирус гепатита Е 3 генотипа

Представлены результаты выполнения инновационного пилотного проекта по созданию тест-систем для серодиагностики гепатита Е Межгосударственной программы инновационного сотрудничества государств – участников СНГ на период до 2020 года. Проект выпол-

Рекомбинантный антиген
ORF2
ORF3
Иммуноферментный анализ
Линейный иммуноанализ
Иммунохроматография
Сероэпидемиология

нялся совместно ФГБНУ НИИВС им. И.И. Мечникова, Национальным институтом общественного здоровья Министерства Здравоохранения Кыргызской Республики и научно-исследовательскими учреждениями медицинского и ветеринарного профилей Республики Беларусь. В результате проведенных исследований были разработаны рекомбинантные антигены доминирующих на территории стран СНГ 1 и 3 генотипов ВГЕ и на их основе создан комплекс иммуноферментных тест-систем: для количественного определения IgG-антител к ВГЕ, для определения avidности IgG-антител к ВГЕ, для определения суммарных антител к ВГЕ, для определения IgM-антител к ВГЕ, для детекции антигена ВГЕ, а также подтверждающая тест-система для определения антител к ВГЕ методом линейного иммуноанализа, иммунохроматографический экспресс-тест для выявления антител к ВГЕ и высокоточная тест-система для выявления РНК ВГЕ в сыворотке и плазме крови методом ПЦР. Результаты серо-эпидемиологических и молекулярно-эпидемиологических исследований, проведенных в регионах России, Кыргызстана и Беларуси, свидетельствовали о последовательном увеличении доли ГЕ в структуре заболеваемости острыми гепатитами на территории всех трех стран с ускользанием большого числа случаев заражения от диагностики и регистрации.

Test kit development for serological diagnostics of hepatitis E and checking of their diagnostic effectiveness on clinical material from endemic and non-endemic regions

G.I. Alatorseva¹, L.N. Nesterenko¹, L.N. Pritvorova¹, A.V. Sidorov¹, V.V. Dotsenko¹, Yu.I. Ammur¹, D.S. Vorobyov¹, A.V. Milovanova¹, L.S. Zimarin¹, V.V. Zverev¹, O.A. Svitich¹, M.I. Mikhailov^{1,2}, K.K. Kyuregyan^{1,2}, S.V. Zhavoronok³, V.V. Davydov³, I.S. Zadora³, V.V. Simirsky⁵, L.A. Anisko^{3,4}, S.I. Marchuk³, P.A. Krasochko⁶, D.S. Borisovets⁷, A.S. Babenko³, Z.Sh. Nurmatov⁸, O.T. Kasymov⁸, Z.O. Abdrakhmanova⁸

¹ Federal State Budgetary Scientific Institution "Research Institute of Vaccines and Serums named after I.I. Mechnikov", Moscow, Russian Federation

² Federal Budgetary Institution of Science "Central Research Institute of Epidemiology" of the Federal Service for Surveillance in the Sphere of Consumer Rights Protection and Human Welfare, Moscow, Russian Federation

³ Educational institution "Belarusian State Medical University", Minsk, Republic of Belarus

⁴ UZ "Minsk City Clinical Infectious Diseases Hospital", Minsk, Republic of Belarus

⁵ State Scientific Institution "Institute of Bioorganic Chemistry of the National Academy of Sciences of Belarus", Minsk, Republic of Belarus

⁶ Vitebsk Order of the Badge of Honor State Academy of Veterinary Medicine, Vitebsk, Republic of Belarus

⁷ RUE "Institute of Experimental Veterinary Medicine named after. S.N. Vysheselsky", Minsk, Republic of Belarus

⁸ National Institute of Public Health, Bishkek, Kyrgyz Republic

ARTICLE INFO

Key words:

Hepatitis E
Hepatitis E virus genotype 1
Hepatitis E virus genotype 3
Recombinant antigen
ORF2
ORF3
Enzyme immune assay
Linear immune assay
Immune chromatography
Serum epidemiology

ABSTRACT

The results of the innovative pilot project for kit development for hepatitis E serum-diagnostic assays of the Interstate Program for Innovative Cooperation of the CIS member states for the period up to 2020 are presented. The project was carried out by I.I. Mechnikov Federal State Medical Research Institute for Vaccines and Sera in association with the National Institute of Public Health of the Ministry of Health of the Kyrgyz Republic and Belarusian medical and veterinary research institutions. As a result of research recombinant antigens of the prevalent in the CIS countries HEV genotypes 1 and 3 were developed, and a set of diagnostic assays was made, namely: test for quantification of IgG antibodies to HEV, test for determination the avidity of IgG antibodies to HEV, test for measuring the total antibodies to HEV, test for detection IgM antibodies to HEV, test for detection HEV antigen,

confirmation test for detection antibodies to HEV by linear immune assay, immune-chromatographic rapid test for detection the antibodies to HEV and a high-precision test for detection HEV RNA in sera and plasma by PCR. The results of serum epidemiological and molecular epidemiological studies performed in the regions of Russia, Kyrgyzstan and Belarus indicated a consistent increase proportion of hepatitis E in the structure of acute hepatitis cases in these countries with the avoidance of a large number of the cases from diagnosis and registration.

Introduction

Hepatitis E (HE) is a global health problem, and improving its diagnostics is an urgent task for medical care. The relevance of the chosen topic is also associated with an increase in the frequency of cases of local and imported HE, high serum prevalence of hepatitis E virus (HEV) among animals and workers of pig farms in Russia and Belarus, high endemicity in Central Asia countries. Alongside with the detection of viral RNA by PCR, an important laboratory indicator of HEV infection is the detection the specific antibodies in the patient blood sera. Comparative studies of commercial test systems produced by different manufacturers have demonstrated a wide range of variability in the received results. For example, a meta-analysis of the 73 results of serum prevalence in Europe showed significant differences in the serum positive levels on the surveyed territories, detected by using various commercial test systems, namely: Wantai (WT) - 17%, Mikrogen (MG) - 10%, MP-diagnostics (MP) - 7%, DiaPro - 4%, Abbott - 2% [1].

I.I. Mechnikov Federal State Medical Research University has become the initiator, coordinator and realizer of the innovative pilot project «Development of test systems for the serological diagnostics of hepatitis E and testing their diagnostic effectiveness on clinical material from endemic and non-endemic regions» of the Interstate Program of Innovative Cooperation of the CIS member states for the period up to 2020, approved by the Decisions of the CIS Heads of Government Councils from 31.05.2013 and 30.10.2015. The project was carried out jointly with the National Institute of Public Health of the Ministry of Health of the Kyrgyz Republic and medical and veterinary research institutions of the Republic of Belarus: RUE «S.N. Vyshesl'sky Institute of Experimental Veterinary Medicine», Belarusian State Medical University, Vitebsk State Academy of Veterinary Medicine. In Russia, scientific research was carried out within the framework of the Federal Targeted Program «Research and Development in priority areas of progress in the scientific and Technological complex of Russia for 2014-2020» according agreements with the Ministry of Education and Science of the Russian Federation No. 14.613.21.0057 and No. 075-15-2019-1481. In Belarus the project was carried out in accordance with

the agreement with the State Committee for Science and Technology of the Republic of Belarus No. 6/2015. In Kyrgyzstan the study was made in accordance with the agreement between the Ministry of Education and Science of the Kyrgyz Republic and the National Institute of Public Health by Order of the Ministry of Health of the Kyrgyz Republic No. 129/1.

Research aims. Development of recombinant antigens dominating on the territory of the CIS countries HEV 1 and 3 genotypes, construction on their basis a set of test kits for the HE diagnostics, carrying out serum epidemiological and molecular epidemiological HE studies in the regions of Russian Federation, Republic of Belarus and Kyrgyz Republic.

Materials and methods

Immune reagents: conjugate of mouse monoclonal antibodies to Fab fragment and Fc fragment of the human IgG (Sorbent-Service, Russia), conjugate of polyclonal rabbit antibodies to human IgG with horse-radish peroxidase made by periodate oxidation in the laboratory for viral genomes cloning, I.I. Mechnikov Research Institute for Vaccines and Sera. To work out the conditions for analysis and trial tests of kits following immune reagents were used, namely: International Standard of the World Health Organization (WHO) «Anti-hepatitis E Serum, Human» 95/584 NIBSC; reference panel of sera (n=8) containing and not containing IgG-antibodies to HEV (cat. No. E331, Diagnostic Systems, Russia); blood serum samples of healthy individuals and patients with hepatitis A, B, C, E and other pathological liver infections provided by the Department of Infectious Diseases of the Belarusian State Medical University, National Institute of Public Health of the Ministry of Health of the Kyrgyz Republic, and Clinical and Diagnostic Department of the I.I. Mechnikov Research Institute for Vaccines and Sera. Diagnostic kits «RecomLine HEV IgG/IgM» (RU No. 2012/13543 cat. No. 5072, Mikrogen Diagnostic GmbH, Germany), «DS-ELISA-ANTI-HAV-G» and «DS-ELISA-ANTI-HAV-M» (Cat No. 151, 152, Diagnostic Systems, Russia) were used as comparison tests. Serological markers of infecting with hepatitis A, B, C viruses and infectious liver pathogens were detected using following commercial enzyme immune assays, namely: «DS-ELISA-ANTI-HAV-G-RECOMB» (cat. No. A-151, Diagnostic

Systems, Russia), «BLOT HIV 1/2+0» (RU No. FSR 2009/04019, Bioservice, Russia) and kits manufactured by «Vector-Best, Russia»: «Vectohep B-HBs-antigen» (RU No. RZN 2015/2887), «HepaBest anti-HBc-IgG» (RU RZN 2017/5606), «Best anti-HCV-auto» (RU No. RZN 2015/2674), «Best anti-HCV-confirmatory test» (RU No. RZN 2015/2895), «VectoCMV-IgG-avidity» (RU No. RZN 2014/2219), «VectoVEB-EA-IgG» (RU No. RZN 2013/1274), «VectoVEB-NA-IgG» (RU No. RZN 2013/1273). Reactions were made in accordance with test kit manuals. For digital accounting, linear immune assay colored strips were scanned, and the staining intensity was measured by the TotalLab program. Swine farm waste water samples were concentrated from the initial volume of 5 liters to 1 ml using a commercial kit «Virosorb-M» (Bioservice, Russia). The concentration method is based on the binding of negatively charged viral particles to the surface of magnetic beads coated by modified silicon dioxide polymer. Nucleic acids were isolated from 1 ml concentrate using the MagNA Pure Compact Nucleic Acid Isolation Large Volume Kit I (Roche Applied Science, Germany). Nucleic acids were purified from clarified fecal extracts using the device «MagNA Pure Compact» (Roche Diagnostics Ltd., Rotkreuz, Switzerland) and the isolation kit «MagNA Pure Compact Nucleic Acid Isolation Kit I». HEV RNA was detected in a polymerase chain reaction combined with reverse transcription (RT-PCR) using degenerate primers to the HEV open reading frame 2 (orf2). HEV nucleotide sequence alignment was made by MEGA 7.0.18 software. Phylogenetic analysis was performed for a fragment of 300 nucleotide residues in length corresponding to HEV orf2 (nucleotide positions 5996 – 6295 according to strain M73218) with reference sequences for known HEV sub-genotypes. Phylogenetic trees were built by HTML 3.0 soft using the GTR model (<http://www.atgc-montpellier.fr/html/>), the SPR tree correction method (http://www.atgc-montpellier.fr/download/papers/phyml_spr_2005.pdf) and Bayesian test (<https://academic.oup.com/sysbio/article/60/5/685/1644562>). Tree annotation was performed using TreeAnnotator v.1.8.4, visualization - using Fig Tree v.1.4.3. Statistical analysis of the obtained results was carried out using the standard EXCEL 2010 program and the GraphPadPrism 4 statistical data processing program.

Results and discussion

The project was carried out by participants in conditions of constant and stable co-operation. The cloning of fragments of the viral genome and the preparation of recombinant antigens were carried out by Russian scientists, the development of test systems based on the constructed antigens was carried out by scientists from Russia and Belarus. The approbation of the developed test systems on clinical and biological material, as well

as serum epidemiological and molecular epidemiological studies on the territories of the participating countries were carried out by all project partners. Researchers from I.I. Mechnikov Institute for Vaccines and Sera have developed recombinant antigens ORF2 and ORF3 of the HEV 1 and 3 genotypes, as well as a mosaic recombinant polypeptide containing C-terminal fragments of the ORF2 proteins of the HEV 3 and 1 genotypes, a full-sized ORF3 protein of the HEV 3 genotype and a C-terminal fragment of the ORF3 protein of the HEV 1 genotype. Viral genome fragments cloning was carried-out using HEV RNA samples isolated from humans and animals at the various CIS regions. As a result, recombinant plasmids coding unique antigens were constructed, E.coli strains – producers were obtained, methods for biomass getting, isolation and chromatographic purification of recombinant polypeptides were developed. The recombinant polypeptide antigenic properties were studied by immunochemical reactions with the WHO international standard sample «Anti-hepatitis E Serum Human 95/584 NIBSC» and blood serum samples characterized in commercial test systems [2, 3]. The developed antigens were used as the main immune reagents during test kit construction, including the production of polyclonal antibodies (rabbit, mouse), conjugates of antigens and specific antibodies with horseradish peroxidase and colloidal gold nanoparticles. Six complementary diagnostic test systems have been made, namely: enzyme immune assay test kit for the quantification of HEV IgG antibodies by indirect ELISA «Screen-HEV-IgG»; kit for detection of the HEV IgG antibodies avidity levels of by indirect ELISA «Screen-HEV-IgG-avidity»; kit for detection of the HEV total antibodies «Screen-HEV-AB»; kit for detection of HEV IgM antibodies by the ELISA «capture» method «Screen-HEV-IgM»; test kits for the detection of HEV antibodies by linear immunoassay «HEV-Blot»; and kit for quick detection of HEV antibodies by immune chromatographic analysis «HEV-IgG-ICHA». Experimental samples of test kits were prepared and their laboratory trials were made. The sensitivity of kits tested in reactions with the WHO international standard sample was 0.62 IU/ml for «HEV-Blot», 0.05 IU/ml for «Screen-HEV-IgG», 0.20 IU/ml for «Screen-HEV-AT», and 0.20 IU/ml for «Screen-HEV-IgM». Parameters of diagnostic sensitivity and diagnostic specificity for the «Screen-HEV-IgG-avidity» and «HEV-IgG-ICHA» were measured using the kits «DS-ELISA-ANTI-HEV-M» and «DS-ELISA-ANTI-HEV-G» and exceeded 95%. Experimental kit samples were tested on clinical material from Russia, Belarus and Kyrgyzstan in the I.I. Mechnikov Research Vaccines and Sera Institute and the National Institute of Public Health of the Ministry of Health of the Kyrgyz Republic. It was showed a strong identity of the results getting by developed kits with the results obtained by commercial analogues («recomLine HEVIgG

/IgM», «recomWeel HEV IgG», «DS-IFA-ANTI-HEV-M», «DS-IFA-ANTI-HEV-G») [4]. The reproducibility of the developed kits was corresponded to a coefficient of variation less than 15%. The absence of interference effects on the analysis results was showed for all developed kits. Experiments on accelerated aging of kits showed shelf life levels of kits within at least 1 year.

Belarusian partners have made a high-precision test system for detecting HEV RNA in serum and blood plasma by real-time PCR with reverse transcription [5]. Antigens made in the I.I. Mechnikov Vaccines and Sera Institute were used in developing enzyme immunoassay kits for semi-quantitative detection of HEV IgG and IgM antibodies in humans and HEV IgG antibodies in pigs [6], and in kit developing for HEV antigen detection by ELISA using polyclonal antibodies to polypeptides ORF2 and ORF3 HEV 1 genotype and natural rabbit antibodies to HEV antigens 3 genotype [7]. Prototypes and experimental samples of test systems were made, laboratory regulations and standing order were developed. Due to control testing results taken place at the Belarusian State Medical University minimal detectable HEV RNA concentration measured by test for detecting HEV RNA was around 10 IU/ml. Diagnostic sensitivity of tests for the detection of HEV IgG antibodies in humans and pigs was 94.8%, diagnostic specificity - 100% [8], diagnostic sensitivity of the test for the detection of HEV IgM antibodies in human sera - 99%, diagnostic specificity - 99% [9].

Reviews describing the HE epidemiological situation on in the Russian Federation, the Kyrgyz Republic and the Republic of Belarus have been written, including identification of trends and assessment of the dynamics of morbidity, identification of disadvantaged regions, evaluation of the effectiveness of preventive measures and the development of forecasts related to progression of the HE epidemiological situation. The results of serum epidemiological and molecular epidemiological studies taken place in the regions of Russia, Kyrgyzstan and Belarus indicated a consistent increase the proportion of HE cases around whole number of acute hepatitis, latent circulation of HEV in the territories of the three countries with the escape of a large number of infection cases from diagnosis and registration.

It was shown that in the territory of the Russian Federation, disease was mainly sporadic with the highest registration of HE cases in the Central Federal District among the adults. In Russia, HEV antibodies were detected more frequently among children with acquired immunodeficiency or neurological disorders, and also the elderly, tuberculosis patients, HIV-infected and syphilis patients at the late stages of the disease progression [10]. A study of HEV antibody serum prevalence among a limited contingent of Soviet troops in Afghanistan showed that the level of specific IgG antibodies gradually decreased over 20-30 years. The detec-

tion of IgM antibodies in migrant workers from Central Asian countries reflected the possibility of recent or current infection and, therefore, a high probability of HEV spreading into the Russian Federation. Genotyping of HEV isolates from humans, animals and environmental objects confirmed the dominance of genotype 3 in the Russian Federation, with pigs being the main virus reservoir. The HEV widespread extension among pigs led to the formation of an endemic region in the Belgorod region, the center of pig production in Russia [11]. Human exposure to the virus appears to be primarily due to environmental contamination from wastewater from pig-farms. A case of chronic HEV infection associated with a virus genetically related to viral isolates obtained from pigs has been identified and analyzed. The high HEV serum prevalence in the reindeer population in Yakutia was shown, indicating that this animal species is a true natural HEV reservoir [12]. The possibility of importation of uncharacteristic HEV genotypes into the Russian Federation has been proven. Thus, the first imported case of the disease in Russia caused by HEV genotype 4 was described. HEV genotype 4 was also detected in cynomolgus macaques imported from Vietnam; subsequent phylogenetic analysis showed that primates might serve as a natural HEV reservoir.

Belarusian partners have investigated the manifestations of HEV epidemic process in the Republic of Belarus. The HEV circulation among humans and animals (rabbits, hares, pigs, wild boars, and deer) has been proven. The analysis of the epidemiological and epizootic situation of HE in the Republic was carried out, the sources of infection, transmission routes, risk groups were identified, and set of measures for HEV prevention was developed [13]. The HE pathogenetic mechanisms development, the mechanisms of infection transmission, and the dynamics of laboratory parameters were studied in detail using a model of experimentally infected laboratory rabbits [14]. A study on 1126 blood sera of domestic pigs from 90 farms was carried out in 4 regions of Belarus. The detection rate of HEV IgG antibodies was in average 33.7% (26.1% in the Mogilev region, 28.3% in the Vitebsk region, 36.9% in the Minsk region, 67.2% in Grodno region). It has been established that in pigs from private farms this rate was significantly higher compared to pigs raised at state plants. The most pronounced differences were found in the Minsk region, where the HEV serum prevalence in pigs on private farms exceeded this indicator in pigs on state plants by more than 2 times (59.8 ± 4.4 and 28.8 ± 3.3 per 100 studies, respectively) [15]. On the other hand, testing of serum samples from workers associated with pork production for antibodies to HEV showed that the relative risk of infection on pig farms was up to 80% higher in comparison with pigs breeding in domestic conditions. [16]. The integration of methods for HEV serum diagnostics and HEV RNA detection for patients with

viral hepatitis of unknown etiology at the Minsk City Clinical Infectious Diseases Hospital made possible to improve the diagnostics for cases of infectious hepatitis and to make better the medical care quality. 6.4% of identified acute HE cases were associated with the consumption of meat infected with HEV genotype 3. HEV serum markers were found in 44.9% of examined patients with chronic viral hepatitis B and C, in 10% of patients after liver transplantation, and in 4.6% of HIV-infected patients [17]. The detection level of HEV IgG antibodies in the general population of residents was 7.3%. In the group of patients with liver damage, this indicator was significantly higher – 11.2%. The detection level of antibodies was gradually increased, reaching an average of 15.9% in the age group over 64 years. The actual spread of HEV infection among the population of the Republic of Belarus was many times higher than the number of diagnosed cases [18]. The study of the genetic polymorphism of HEV strains isolated from HE patients in the Republic of Belarus showed that they mainly belong to the 3rd genotype of HEV and phylogenetically are similar to viruses isolated from domestic pigs. This fact explains zoonotic origin of the majority of HE autochthonous cases in the Republic of Belarus [19]. HE cases caused by HEV of other genotypes were imported from abroad. For example, one case of the importation of other genotype from the Asia had been verified: the RNA sequence of HEV isolate from patient being on a trip in Pakistan belonged to the HEV genotype 1 and was clustered in phylogenetic branch the same with strains isolated in Pakistan, India, Nepal and Mongolia [20].

Based on the results of epidemiological studies taken place in Russia and Belarus, we can conclude that for controlling HEV infection, first of all, it is necessary to organize measures directed to reduction the circulation of HEV among pigs and disinfection of wastewaters from pig farms.

The analysis of the HE epidemiological situation in Kyrgyzstan and the results of large-scale serum epidemiological studies taken place in republic regions jointly by scientists from the National Institute of Public Health of the Ministry of Health of the Kyrgyz Republic and the I. Mechnikov Research Institute for Vaccines and Sera indicated the high endemicity of the surveyed territories. The highest HEV antibody levels were detected in the population of regions bordering Uzbekistan and Tajikistan: Jalal-Abad, Batken and Osh regions [21]. Most often, HEV IgG antibodies were found in age groups of 40 years and older, that is typical for many countries of Central Asia. Conversely, HEV IgM antibodies were detected more often (up to 40.8%) in children and adolescents. It is noteworthy that the data on quite intense HEV circulation among the children's population partially do not coincide with the generally accepted ideas about the epidemiology of HEV, namely, about the predominant infection of the adult male population in working ages.

Assessment the risk for infecting pregnant women by HEV was carried out in Osh and the Osh region [22]. The HEV antibody serum prevalence among pregnant women was 9.9%, which is consistent with a meta-analysis data about prevalence of IgG antibodies to HEV in pregnant women in high endemic Middle East regions: in Pakistan - 8.9%, in Iran - 6.2% [23]. The increase of HEV IgG antibody detection level correlates with increase of patient age, and almost identical levels of detected IgM antibodies in all age groups indicate about high degree of vulnerability of pregnant women in all ages to HEV infection. In 2016-2017, HEV was in second place among the etiological agents causing acute viral hepatitis (AVH), proportionally 32.4% after hepatitis A virus (39.4%). A significant proportion (47.9%) of IgM positive patients was revealed among those with clinically and laboratory-confirmed diagnosis of AVH, which corresponds to the indicators predicted for high endemic regions, and may indicates an increase the morbidity during studied time period (2018-2019). [24]. The high level of detected HEV IgG antibodies is alarming: the antibodies had been detected among 15.7% of all examined patients with AVH and 53% of HEV serum positive persons, since the presence of HEV IgG antibodies may indicate not only previous disease, but also recent infection. The wide prevalence (up to 15%) of mixed infection with HEV and hepatitis A, B and C viruses indicates the need for mandatory testing of all patients with AVH for specific IgG and IgM antibodies to HEV.

Data on study the spread of HEV serological markers among patients with hepatitis and clinically healthy individuals in Kyrgyzstan indicate the continuous circulation of HEV during the inter-epidemic period. The refore, it is necessary to develop an effective strategy for carrying out sanitary, hygienic and preventive measures to control and prevent the spread of HEV in general and especially among pregnant women from high endemic regions of Central Asia.

Final remarks

Thanks to the coordinated work of the project co-executors, all the aims were achieved. More than 40 scientific articles have been published, 3 patents for inventions have been obtained [2, 3, 7], the results of the work were reported at 35 scientific conferences with international participation. In accordance with the plan of commercialization of the project results, license agreements with biotech companies on the rights to use the intellectual activity results under patents No.2754791 and No.2711907 were concluded. The manufacturing of recombinant antigens and diagnostic kits were started. Based on the project results, the Institute of Bioorganic Chemistry of the National Academy of Sciences of Belarus performs research and development work on the

project «To develop a technology for the industrial manufacture of test systems for the detection of IgG and IgM-class antibodies to HEV in humans and animals using enzyme immunoassay and organize their production» within the framework of the State Program «High-tech technologies and equipment» for 2021-2025, approved by Council of Ministers of the Republic of Belarus No. 245.

Stable cooperative ties between the project co-executors have been formed. The interaction of scientific organizations of Russia, Belarus and Kyrgyzstan will

continues after the project completion in an expanded format under agreements on scientific cooperation in the epidemiology, immunology, pathogenesis of viral and bacterial infections, as well as the development of diagnostic, preventive and therapeutic drugs and methods of their control.

Жазуучулар ар кандай кызыкчылыктардын чыр жоктугун жарыялайт.

Авторы заявляют об отсутствии конфликтов интересов.

The authors declare no conflicts of interest.

Литература/References

1. Hartl J., Otto B., Madden R.G., Webb G., Woolson K.L., Kriston L., Vettorazzi E., Lohse A.W., Dalton H.R., Pischke S. Hepatitis E Seroprevalence in Europe: A Meta-Analysis. *Viruses*, 2016, 211(8): 14. <https://www.semanticscholar.org/paper/Hepatitis-E-Seroprevalence-in-Europe%3A-A-Hartl-Otto/87c02642b9bfdce854975b%20b276ff1%20bf9fe%2084b6ad>. DOI: <https://doi.org/10.3390/v8080211>
2. Alatorseva G.I., Sidorov A.V., Nesterenko L.N., Lukhverchik L.N., Amiantova I.I., Dotsenko V.V., Vorobev D.S., Ammur Y.I., Zhukina M.V., Bajzbebekova D.A., Mikhajlov M.I., Potemkin I.A., Kyuregyan K.K., Nurmatov Z.S., Nurmatov A.Z., Kasymov O.T., Zhavoronok S.V., Krasochko P.A., Zverev V.V. Rekombinantnyj belok, sodержashhij antigen-no-znachimye fragmenty belkov virusa gepatita E, ispol'zuyemyj v test-sistemah dlja serodiagnostiki gepatita E (vari-anty) [Recombinant protein containing antigen-significant fragments of hepatitis E virus proteins, used in test systems for hepatitis E (embodiments)]. RU patent 2711907 C2. 2020 Jan 23. edn: NBFICC. (Russian) <https://patentimages.storage.googleapis.com/d4/a1/34/340b41036d1730/RU2711907C2.pdf>
3. Alatorseva G.I., Sidorov A.V., Nesterenko L.N., Lukhverchik L.N., Amiantova I.I., Dotsenko V.V., Vorobev D.S., Milovanova A.V., Mikhajlov M.I., Kyuregyan K.K., Nurmatov Z.S., Kasymov O.T., Zhavoronok S.V., Krasochko P.A., Zverev V.V. Mosaic recombinant polypeptide containing fragments of hepatitis E virus proteins of genotypes 1 and 3 in one polypeptide chain, intended for use in test systems used in the serodiagnosis of hepatitis E. RU patent 2754791 C1, 07.09.2021 (Russian). https://yandex.ru/patents/doc/RU2754791C1_20210907
4. Alatorseva G.I., Dotsenko V.V., Nesterenko L.N., Lukhverchik L.N., Kabargina V.Yu., Amiantova I.I., Zhukina M.V., Zhavoronok S.V., Nurmatov Z.S., Nurmatov A.Z., Zverev V.V. Line immunoassay for detection of IgG antibodies for hepatitis virus E (Hepviridae, Orthohepevirus, Orthohepevirus A). *Voprosy Virusologii (Problems of Virology)*. 2020, 65(3): 132-142. (In Russ.). <https://virusjour.crie.ru/jour/article/view/386/260> DOI: <https://doi.org/10.36233/0507-4088-2020-65-3-132-142>
5. Davydov V., Babenko A., Zhavoronok S., Marchuk S., Borisovets D., Znovets T. A Novel RT-QPCR Based Approach for Detection of Human Hepatitis E Virus in Biological Samples. *Laboratory Diagnostics. Eastern Europe*, 2021, 10(3): 346-359 (In Russ.). https://elibrary.ru/download/elibrary_46573408_47524850.pdf DOI: <https://doi.org/10.34883/PL.2021.10.3.018>
6. Krasochko P. A., Zhavoronok S. V., Barysavets D. S., Krasochko P. P., Alatorseva G. I., Prokopenkova T. M., Davydov V. V., Anisko L. A., Lukhverchik L. N., Zhuravleva E. S., Buchukuri D. V., Zverev V. V. Development of ELISA test kits for semi-quantitative detection of anti-HEV antibodies in pigs in the Republic of Belarus. *Vesti Natsyonal'noy akademii nauk Belarusi. Seryya agrarnyykh nauk = Proceedings of the National Academy of Sciences of Belarus. Agrarian series*, 2020, 58(3): 339-351 (In Russ.). <https://vestiagr.belnauka.by/jour/article/view/510/489> DOI: <https://doi.org/10.29235/1817-7204-2020-58-3-339-351>
7. Zhavoronok S.V., Arabey A.A., Lukhverchik L.N., Alatorseva G.I. Method for determining class G immunoglobulins to hepatitis E virus in rabbits using enzyme immunoassay. Patent for invention BY No. 2317401, 2020.10.30, application No. 20180190 dated 2018.05.22 (In Russ.).
8. Zhavoronok S.V., Zadora I.S., Davydov V.V., Anisko L.A., Rogacheva T.A., Alatorseva G.I., Lukhverchik L.N., Nesterenko L.N., Simirsky V.V., Shcherban A.I., Shchuka N.V., Mytko Y.A. Development of a test system for enzyme immune assay for qualitative determination of immunoglobulin class g to hepatitis e virus. *BSMU At the Forefront of Medical Science and Practice: Collection of Scientific Papers*. 2022, 12(1): 404-409 (In Russ.). <http://rep.bsmu.by:8080/handle/BSMU/36561>
9. Zadora I.S., Zhavoronok S.V., Davydov V.V., Babenka A.S., Anisko L.A., Rogacheva T.A., Simirsky V.V., Shcherban A.I., Shchuka N.V., Mytko Y.A., Alatorseva G.I., Lukhverchik L.N., Nesterenko L.N., Zverev V.V. Development of a domestic enzyme immune test system for detection of Anti-HEV IgM in blood serum. *Hepatology and Gastroenterology*. 2023; 7(1): 57-62 (In Russ.). <http://hepatogastro.grsmu.by/index.php/journalHandG/article/view/302/219> DOI: <https://doi.org/10.25298/2616-5546-2023-7-1-57-62>
10. Alatorseva G.I., Lukhverchik L.N., Dotsenko V.V., Nosik M.N., Nesterenko L.N., Kazyonnova E.V., Bobkova M.R., Sobkin A.L., Rymanova I.V., Sevostyanikhin S.E., Zverev V.V. The analysis of sero-prevalence of virus of hepatitis E among patients with HIV-infection and syphilis. *Klinicheskaya Laboratornaya Diagnostika (Russian Clinical Laboratory Diagnostics)* 2017, 62 (12):764-768 (In Russ.). <https://clinlabdia.ru/wp-content/uploads/2023/03/764-768.pdf> DOI: <http://dx.doi.org/10.18821/0869-2084-2017-62-12-764-768>
11. Kyuregyan K.K., Polyakov A.D., Potemkin I.A., Karlsen A.A., Isaeva O.V., Lopatukhina M.A., Mullin E.V., Shukina O.S., Malinnikova E. Yu., Shibrik E.V., Oglezneva E.E., Mikhailov M.I. Belgorod region – the territory endemic for hepatitis E. *Voprosy Virusologii (Problems of Virology, Russian journal)*. 2019, 64(6): 274-280 (In Russ.). <https://virusjour.crie.ru/jour/article/view/254/151> DOI: <https://doi.org/10.36233/0507-4088-2019-64-6-274-280>

12. Slukina O.S., Kyuregyan K.K., Karlsen A.A., Potemkin I.A., Kichatova V.S., Semenov S.I., Stepanov K.M., Rumyantseva T.D., Mikhailov M.I. Serological Evidence of Hepatitis E Virus Circulation Among Reindeer and Reindeer Herders. *Vector Borne Zoonotic Dis.* 2021, 7: 546-551. <https://www.liebertpub.com/doi/abs/10.1089/vbz.2020.2727>. DOI: <https://doi.org/10.1089/vbz.2020.2727>
13. Zhavoronok S., Davydau V., Arabey A., Mikhaylov M., Kyuregyan K., Karlsen A., Malinnikova E., Marchuk S., Znovets T., Alatorseva G., Gasich E., Yahoudzik-Tsialezhnaya E., Kashkur Yu., Gutmane V., Shumsky Yu., Anisko L., Rogacheva T., Zhmurova kaja L., Krapivina S., Moskal'tva N., Dotsenko M., Krasochko P., Barysavets D. Transmission Mechanisms and Ways of Infecting Human Hepatitis E in the Endemic Region. *Clinical infectology and parasitology*, 2019, 8(3): 322-336 (In Russ.). https://elibrary.ru/download/elibrary_41116309_13803689.pdf
14. A.A. Arabey, S.V. Zhavoronok, Z. A. Makarevich, S. I. Marchuk, V.V. Malashko Experimental model of viral hepatitis E in rabbits *Immunopathology, allergology, infectology*. 2018, 2: 48–58 (In Russ.). https://elibrary.ru/download/elibrary_36997036_71689278.pdf. DOI: <https://doi.org/10.14427/jipai.2018.2.4814>
15. Zhavoronok S.V., Karpov I.A., Mikhaylov M.I., Arabey A.A., Kashkur Yu.V., Kyuregyan K.K., et al. Epidemiological and epizootic intensity of HEV in Belarus. *Infektsionnye bolezni: novosti, mneniya, obuchenie*. 2019, 8(1): 11–22 (In Russ.). <https://cyberleninka.ru/article/n/intensivnost-epidemicheskogo-i-epizooticheskogo-protssosov-infektsii-vyzvanoy-virusom-gepatita-e-na-territorii-respubliki-belarus> DOI: <https://doi.org/10.24411/2305-3496-2019-11001>
16. V.V. Davydov, S.V. Zhavoronok, I.S. Zadora, D.S. Barysavets Analysis of industrial, household and nutritional risks of infection with hepatitis E virus. *Healthcare*. 2023, 7: 20-32 (In Russ.). <https://www.zdrav.by/infektologiya-i-epidemiologiya/analiz-proizvodstvennyh-bytovykh-i-pishhevnyh-riskov-inficirovaniya-virusom-gepatita-e/> DOI: <https://doi.org/10.24411/2305-3496-2019-11001>
17. Davydov V.V., Zhavoronok S.V., Krasochko P.A., Barysavets D.S., Prokopenkova T.M. Hepatitis E virus – a new foodborne pathogen in Belarus *Healthcare*. 2020, 6: 19-25 (In Russ.). https://www.zdrav.by/pdf/2020/Zdrav6_20.pdf
18. Davydov V.V., Zhavoronok S.V., Rogacheva T.A., Novik T.P., Alatorseva G.I., Nesterenko L.N., Sidorov A.V., Lkhverchik L.N., Mikhailov M.I., Zverev V.V. Prevalence of antibodies to the hepatitis E virus in the population of the Republic of Belarus. *Journal of microbiology, epidemiology and immunobiology = Zhurnal mikrobiologii, epidemiologii i immunobiologii*. 2022, 99(2):160–171 (In Russ.). <https://microbius.ru/library/zhurnal-mikrobiologii-epidemiologii-i-immunobiologii-tom-99-2-2022>. DOI: <https://doi.org/10.36233/0372-9311-236>
19. Davydov V., Zhavoronok S., Anisko L., Gasich E., Marchuk S., Semizhon P., Potemkin I., Karlsen A., Kyuregyan K., Mikhailov M., Alatorseva G., Krasochko P., Barysavets D., Prokopenkova T. Genetic Diversity of Hepatitis E Virus in the Republic of Belarus. *Clinical infectology and parasitology*, 2020, 9(3): 297-305 (In Russ.). https://elibrary.ru/download/elibrary_44252504_84743783.pdf DOI: <https://doi.org/10.34883/PI.2020.9.3.029>
20. Davydov V.V., Zhavoronok S.V., Znovets T.V., Tsykunov V.M., Babenka A.S., Marchuk S.I., Gasich E.L., Novik T.P., Alatorseva G.I., Mikhailov M.I., Zverev V.V. Molecular epidemiological study of clinical cases of acute hepatitis E in Belarus. *Journal of microbiology, epidemiology and immunobiology. Zhurnal mikrobiologii, epidemiologii i immunobiologii*. 2022, 99(6): 625–636 (In Russ.). <https://microbiol.crie.ru/jour/article/view/1355/818>. DOI: <https://doi.org/10.36233/0372-9311-328>
21. Lkhverchik L.N., Alatorseva G.I., Nesterenko L.N., Mikhailov M.I., Kyuregyan K.K., Gukina M.V., Oksanich A.S., Nurmatov Z.Sh., Nurmatov A.Z., Baizbekova Zh.A., Kasymov O.T., Maksytov S.T., Zverev V.V. Investigations of hepatitis E virus seroprevalence and its role in the acute viral hepatitis etiology on the Kyrgyzstan territory *Immunopathology, allergology, infectology*. 2017, 3:59–67. (In Russ.). <http://www.immunopathology.com/ru/article.php?carticle=296>. DOI: <https://doi.org/10.14427/jipai.2017.3.59>
22. Alatorseva G.I., Bakirova Z., Lkhverchik L.N., Nurmatov Z.S., Nurmatov A.Z., Tashov K.E., Nesterenko L.N., Malinnikova E. Yu., Kasymov O.T., Mikhailov M.I., Zverev V.V. Seroprevalence of hepatitis E virus (Hepeviridae: Orthohepevirus A) among pregnant women in the highly endemic region of Kyrgyzstan. *Problems of Virology (Voprosy Virusologii)*. 2020, 65(4): 218–227. (In Russ.). <https://virusjour.crie.ru/jour/article/view/409/271>. DOI: <https://doi.org/10.36233/0507-4088-2020-65-4-218-227>
23. Ahmad T, Hui J, Hussain M, Behzadifar M, Baig M. Seroprevalence of hepatitis E virus infection in pregnant women: a systematic review and meta-analysis. *Ann. Saudi Med.* 2020, 40(2): 136-146. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7118233/pdf/0256-4947.2020.136.pdf>. DOI: <https://doi.org/10.5144/0256-4947.2020.136>
24. Alatorseva G.I., Lkhverchik L.N., Nesterenko L.N., Dotsenko V.V., Amiantova I.I., Mikhailov M.I., Kyuregyan K.K., Malinnikova E. Yu., Nurmatov Z.S., Nurmatov A.Z., Tashov K.E., Kasymov O.T., Zverev V.V. The estimation of the hepatitis E proportion in the etiological structure of acute viral hepatitis in certain regions of Kyrgyzstan. *Klinicheskaya Laboratornaya Diagnostika (Russian Clinical Laboratory Diagnostics)*. 2019, 64 (12): 740-746 (In Russ.). https://elibrary.ru/download/elibrary_41499010_60763375.pdf DOI: <http://dx.doi.org/10.18821/0869-2084-2019-64-12-740-746>

Авторы:

Алаторцева Галина Ивановна, к.б.н., ведущий научный сотрудник, зав. лабораторией клонирования вирусных геномов, Федеральное государственное бюджетное научное учреждение «Научно-исследовательский институт вакцин и сывороток им. И.И. Мечникова», Москва, Российская Федерация
ORCID:<https://orcid.org/0000-0001-9887-4061>

Нестеренко Любовь Николаевна, к.х.н., ведущий научный сотрудник лаборатории клонирования вирусных геномов, Федеральное государственное бюджетное научное учреждение «Научно-исследовательский институт вакцин и сывороток им. И.И. Мечникова», Москва, Российская Федерация
ORCID: <https://orcid.org/0000-0002-3825-3906>

Authors:

Alatorseva Galina Ivanovna, Ph.D. (Biol.), leading researcher, head of the Laboratory for cloning of viral genomes, Federal State Budgetary Scientific Institution I. Mechnikov Research Institute for Vaccines and Sera, Moscow, Russian Federation
ORCID:<https://orcid.org/0000-0001-9887-4061>

Nesterenko Lyubov Nikolaevna, Ph.D. (Chem.), leading researcher of the Laboratory for cloning of viral genomes, Federal State Budgetary Scientific Institution I. Mechnikov Research Institute for Vaccines and Sera, Moscow, Russian Federation
ORCID: <https://orcid.org/0000-0002-3825-3906>

Притворова Людмила Николаевна, к.м.н., ведущий научный сотрудник лаборатории клонирования вирусных геномов, Федеральное государственное бюджетное научное учреждение «Научно-исследовательский институт вакцин и сывороток им. И.И. Мечникова», Москва, Российская Федерация
ORCID: <https://orcid.org/0000-0002-2997-8892>

Сидоров Александр Викторович, к.б.н., ведущий научный сотрудник, зав. лабораторией генетики ДНК-содержащих вирусов, Федеральное государственное бюджетное научное учреждение «Научно-исследовательский институт вакцин и сывороток им. И.И. Мечникова», Москва, Российская Федерация
ORCID: <https://orcid.org/0000-0003-1257-8718>

Доценко Вера Васильевна, к.б.н., старший научный сотрудник лаборатории клонирования вирусных геномов, Федеральное государственное бюджетное научное учреждение «Научно-исследовательский институт вакцин и сывороток им. И.И. Мечникова», Москва, Российская Федерация
ORCID: <https://orcid.org/0000-0002-5866-944X>

Аммур Юлия Игоревна, к.б.н., ведущий научный сотрудник, зав. лабораторией экспериментальной иммунологии, Федеральное государственное бюджетное научное учреждение «Научно-исследовательский институт вакцин и сывороток им. И.И. Мечникова», Москва, Российская Федерация
ORCID: <https://orcid.org/0000-0003-0223-5738>

Воробьев Денис Сергеевич, к.м.н., ведущий научный сотрудник лаборатории терапевтических вакцин, Федеральное государственное бюджетное научное учреждение «Научно-исследовательский институт вакцин и сывороток им. И.И. Мечникова», Москва, Российская Федерация
ORCID: <https://orcid.org/0000-0002-1926-8803>

Милованова Александра Владимировна, младший научный сотрудник лаборатории генетики ДНК-содержащих вирусов, Федеральное государственное бюджетное научное учреждение «Научно-исследовательский институт вакцин и сывороток им. И.И. Мечникова», Москва, Российская Федерация
ORCID: <https://orcid.org/0000-0001-7568-023X>

Зимарин Леонид Сергеевич, младший научный сотрудник лаборатории клонирования вирусных геномов, Федеральное государственное бюджетное научное учреждение «Научно-исследовательский институт вакцин и сывороток им. И.И. Мечникова», Москва, Российская Федерация
ORCID: <https://orcid.org/0000-0003-0445-8126>

Зверев Виталий Васильевич, д.б.н., профессор, академик РАН, научный руководитель института, Федеральное государственное бюджетное научное учреждение «Научно-исследовательский институт вакцин и сывороток им. И.И. Мечникова», Москва, Российская Федерация
ORCID: <https://orcid.org/0000-0002-0017-1892>

Свитич Оксана Анатольевна, д.м.н., профессор, член-корр. РАН, директор института, Федерального государственного бюджетного научного учреждения «Научно-исследовательский институт вакцин и сывороток им. И.И. Мечникова», Москва, Российская Федерация
ORCID: <https://orcid.org/0000-0003-1757-8389>

Михайлов Михаил Иванович, д.м.н., профессор, член-корр. РАН, главный научный сотрудник, зав. лабораторией вирусных гепатитов Федерального государственного бюджетного научного учреждения «Научно-исследовательский институт вакцин и сывороток им. И.И. Мечникова»; главный научный сотрудник Федерального бюджетного учреждения науки «Центральный научно-исследовательский институт эпидемиологии» Федеральной службы по надзору в сфере защиты прав потребителей и благополучия человека, Москва, Российская Федерация
ORCID: <https://orcid.org/0000-0002-6636-6801>

Кюрегян Карен Каренович, д.м.н., профессор РАН, главный научный сотрудник лаборатории вирусных гепатитов Федерального государственного бюджетного научного учреждения «Научно-исследовательский институт вакцин и сывороток им. И.И. Мечникова»; зав. лабораторией молекулярной диагностики вирусных гепатитов, Федерального бюджетного учреждения науки «Центральный научно-исследовательский институт эпидемиологии» Федеральной службы по надзору в сфере защиты прав потребителей и благополучия человека, Москва, Российская Федерация
ORCID: <https://orcid.org/0000-0002-3599-117X>

Pritvorova Liudmila Nikolaevna, Ph.D (Med.), leading researcher of the Laboratory for cloning of viral genomes, Federal State Budgetary Scientific InstitutionI, I. Mechnikov Research Institute for Vaccines and Sera, Moscow, Russian Federation
ORCID: <https://orcid.org/0000-0002-2997-8892>

Sidorov Aleksandr Viktorovich, Ph.D. (Biol.), leading researcher, head of the Laboratory of DNA-containing viruses genetics, Federal State Budgetary Scientific InstitutionI, I. Mechnikov Research Institute for Vaccines and Sera, Moscow, Russian Federation
ORCID: <https://orcid.org/0000-0003-1257-8718>

Dotsenko Vera Vasilyevna, Ph.D. (Biol.), senior researcher of the Laboratory for cloning of viral genomes, Federal State Budgetary Scientific InstitutionI, I. Mechnikov Research Institute for Vaccines and Sera, Moscow, Russian Federation
ORCID: <https://orcid.org/0000-0002-5866-944X>

Ammour Yulia Igorevna, Ph.D. (Biol.), leading researcher, head of the Laboratory of experimental immunology, Federal State Budgetary Scientific InstitutionI, I. Mechnikov Research Institute for Vaccines and Sera, Moscow, Russian Federation
ORCID: <https://orcid.org/0000-0003-0223-5738>

Vorobiev Denis Sergeevich, Ph D. (Med.), leading researcher of the Laboratory of therapeutic vaccines, Federal State Budgetary Scientific InstitutionI, I. Mechnikov Research Institute for Vaccines and Sera, Moscow, Russian Federation
ORCID: <https://orcid.org/0000-0002-1926-8803>

Milovanova Alexandra Vladimirovna, junior researcher of the Laboratory of DNA-containing viruses genetics, Federal State Budgetary Scientific InstitutionI, I. Mechnikov Research Institute for Vaccines and Sera, Moscow, Russian Federation
ORCID: <https://orcid.org/0000-0001-7568-023X>

Zimarin Leonid Sergeevich, junior researcher of the Laboratory for cloning of viral genomes, Federal State Budgetary Scientific InstitutionI, I. Mechnikov Research Institute for Vaccines and Sera, Moscow, Russian Federation
ORCID: <https://orcid.org/0000-0003-0445-8126>

Zverev Vitaly Vasilyevich, Dr. Sci. (Biol.), Professor, Academition of the Russian Academy of Sciences, Scientific director of Institution, Federal State Budgetary Scientific InstitutionI, I. Mechnikov Research Institute for Vaccines and Sera, Moscow, Russian Federation
ORCID: <https://orcid.org/0000-0002-0017-1892>

Svitich Oksana Anatolievna, Dr. Sci. (Med.), Professor, Corresponding member of the Russian Academy of Sciences, Director of Institution, Federal State Budgetary Scientific InstitutionI, I. Mechnikov Research Institute for Vaccines and Sera, Moscow, Russian Federation
ORCID: <https://orcid.org/0000-0003-1757-8389>

Mikhailov Mikhail Ivanovich, Dr. Sci. (Med.), Professor, Corresponding member of the Russian Academy of Sciences, Head of Laboratory for viral hepatitis of the Federal State Budgetary Scientific Institution "Research Institute of Vaccines and Serums named after. I.I. Mechnikov"; Chief Researcher of the Federal Budgetary Institution of Science "Central Research Institute of Epidemiology" of the Federal Service for Surveillance in the Sphere of Consumer Rights Protection and Human Welfare, Moscow, Russian Federation
ORCID: <https://orcid.org/0000-0002-6636-6801>

Karen Karenovich Kyuregyan, Dr. Sci. (Med.), Professor of RAS, Head of laboratory of molecular epidemiology of viral hepatitis (Department of molecular diagnostics and epidemiology, Central Research Institute of Epidemiology), leading researcher (Laboratory of viral hepatitis, I. Mechnikov Research Institute of Vaccines and Sera)
ORCID: <https://orcid.org/0000-0002-3599-117X>

Жаворонок Сергей Владимирович, д.м.н., профессор, профессор кафедры инфекционных болезней Учреждение образования «Белорусский государственный медицинский университет», Минск, Республика Беларусь
ORCID: <https://orcid.org/0000-0001-9727-1103>

Давыдов Владимир Витольдович, к.б.н., доцент, зав. кафедрой биологии, УО «Белорусский государственный медицинский университет», Минск, Республика Беларусь
ORCID: <https://orcid.org/0000-0002-5672-9509>

Задора Илона Сергеевна, ассистент кафедры микробиологии, вирусологии и иммунологии Учреждение образования «Белорусский государственный медицинский университет», Минск, Республика Беларусь
ORCID: <https://orcid.org/0000-0003-2231-1785>

Симирский Владимир Викторович, к.х.н., директор УП «ХОП ИБОХ НАН Беларуси», Государственное научное учреждение «Институт биоорганической химии Национальной академии наук Беларуси», Минск, Республика Беларусь

Аниско Людмила Александровна, к. м.н., доцент, зав. клинко-диагностической лабораторией УЗ «Городская клиническая инфекционная больница», Учреждение образования «Белорусский государственный медицинский университет», УЗ «Минская городская клиническая инфекционная больница», Минск, Республика Беларусь

Марчук Светлана Ивановна, старший научный сотрудник научно-исследовательской части Учреждение образования «Белорусский государственный медицинский университет», Минск, Республика Беларусь
ORCID: <https://orcid.org/0000-0002-2291-4538>

Красочко Петр Альбинович, д.в.н., д.б.н., проф., акад. РАЕН, профессор, зав. кафедрой эпизоотологии и инфекционных болезней УО «Витебская ордена «Знак Почета» государственная академия ветеринарной медицины», УО «Витебская ордена «Знак Почета» государственная академия ветеринарной медицины», Витебск, Республика Беларусь
ORCID: <https://orcid.org/0000-0002-4641-4757>

Борисовец Дмитрий Сергеевич, к.в.н., доцент, заместитель директора по научной и производственной работе РУП «Институт экспериментальной ветеринарии им. С.Н. Вышелесского», Минск, Республика Беларусь
ORCID: <https://orcid.org/0000-0003-4087-9833>

Бабенко Андрей Сергеевич, к.х.н., доцент, Учреждение образования «Белорусский государственный медицинский университет», Минск, Республика Беларусь
ORCID: <https://orcid.org/0000-0002-5513-970X>

Нурматов Зуридин Шарипович, д.м.н., руководитель Республиканского научно-практического центра по контролю вирусными инфекциями, Национальный институт общественного здоровья, Бишкек, Кыргызская Республика
ORCID: <https://orcid.org/0000-0003-3481-227X>

Касымов Омор Тилегенович, д.м.н., профессор, академик ПАЕ РФ, научный руководитель, Национальный институт общественного здоровья, Бишкек, Кыргызская Республика
ORCID: <https://orcid.org/00000-0002-3304-7409>

Абдрахманова Замира Орозовна, научный сотрудник, врач эпидемиолог Республиканского научно-практического центра по контролю вирусными инфекциями, Национальный институт общественного здоровья, Бишкек, Кыргызская Республика
ORCID: <https://orcid.org/0000-0002-2645-863X>

Zhavoronokc Sergey Vladimirovich, Dr. Sci. (Med.), Professor, Professor of the Department of Infectious Diseases Educational Institution "Belarusian State Medical University," Minsk, Republic of Belarus
ORCID: <https://orcid.org/0000-0001-9727-1103>

Davydovc Vladimir Vitoldovich, Ph.D. (Biol.), Associate Professor, Head of the Department of Biology, Educational Institution "Belarusian State Medical University," Minsk, Republic of Belarus
ORCID: <https://orcid.org/0000-0002-5672-9509>

Zadora Ilona Sergeevna, Assistant, Department of Microbiology, Virology and Immunology Education Institution "Belarusian State Medical University," Minsk, Republic of Belarus
ORCID: <https://orcid.org/0000-0003-2231-1785>

Simirskij Vladimir Viktorovich, Ph.D. (Chem.), Director of the Unitary Enterprise "Household Experimental Production of the Institute of Bioorganic Chemistry of the National Academy of Sciences of Belarus", State Scientific Institution "Institute of Bioorganic Chemistry of the National Academy of Sciences of Belarus", Minsk, Republic of Belarus

Anisko Lyudmila Alexandrovna, Ph D. (Med.), Associate Professor, Head of the Clinical and Diagnostic Laboratory of the Health Care Institution "City Clinical Infectious Diseases Hospital," Educational Institution "Belarusian State Medical University," Health Care Institution "Minsk City Clinical Infectious Diseases Hospital", Minsk, Republic of Belarus

Marchuk Svetlana Ivanovna, Senior Researcher, Research Unit Educational Institution "Belarusian State Medical University", Minsk, Republic of Belarus
ORCID: <https://orcid.org/0000-0002-2291-4538>

Krasochko Petr Albinovich, Dr. Sci. (Vet.), Dr. Sci. (Biol.), Professor, Academician Russian Academy of Natural Sciences, Head of the Department of Epizootology and Infectious Diseases Institution of Education "Vitebsk Order" Badge of Honor "State Academy of Veterinary Medicine," Institution of Education "Vitebsk Order" Badge of Honor "State Academy of Veterinary Medicine," Vitebsk, Republic of Belarus
ORCID: <https://orcid.org/0000-0002-4641-4757>

Barysavets Dzmitry Sergeevish, Ph.D. (Veterinary), Associate Professor, Deputy Director for Scientific and Production Work of the Republican Unitary Enterprise "Institute of Experimental Veterinary Medicine named after S.N. Vyshellessky", Minsk, Republic of Belarus
ORCID: <https://orcid.org/0000-0003-4087-9833>

Babenka Andrei Sergeevich, Ph.D. (Chem.), associate Professor, Educational Institution "Belarusian State Medical University", Minsk, Republic of Belarus
ORCID: <https://orcid.org/0000-0002-5513-970X>

Nurmatov Zuridin Sharipovich, Dr. Sci (Med.), Head of the Republican Scientific and Practical Center for Viral Infection Control of the NIPH, Bishkek, Kyrgyz Republic
ORCID: <https://orcid.org/0000-0003-3481-227X>

Kasymov Omor Tilegenovich, Dr. Sci (Med.), Professor, Academician of the Russian Academy of Natural Sciences, Scientific Supervisor of the NIPH, Bishkek, Kyrgyz Republic
ORCID: <https://orcid.org/00000-0002-3304-7409>

Abdrakhmanova Zamira Orozovna, Researcher, epidemiologist of the Republican Scientific and Practical Center for the Control of Viral Infections NIPH, Bishkek, Kyrgyz Republic
ORCID: <https://orcid.org/0000-0002-2645-863X>